

1 IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

Name of the product:

SAFE+
SAFETY FILM BY AGC

Company identification:

AGC
Avenue Jean Monnet 4
Louvain-la-Neuve
Tel. : +32 (0)2 409 30 00
Email : msds@eu.agc.com
Website : www.agc-store.com:

Use of the product:

Surface protective film

2 HAZARDS IDENTIFICATION

Polyester with acrylic adhesive - Not classified as hazardous. The film is likely to keep a high electrostatic charge. The discharge in the presence of dust or solvent may cause an explosion.

3 COMPOSITION / INFORMATION ON INGREDIENTS

Characterization:

Polyester with acrylic adhesive

Hazardous components:

Not determined
No substance on the list published by the European Chemicals Agency**4 FIRST AID MEASURES**

- Inhalation No specific measure
- Eye contact No specific measure
- Skin contact No specific measure
- Ingestion No specific measure

5 FIRE-FIGHTING MEASURES

- Suitable extinguishing media Spray with water, foam, CO2 or powder
- Extinguishing media which shall not be used for safety reasons -
- Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases Polymere fumes.
Avoid contact with open flame.
- Special protective equipment for fire-fighters Wear a suitable respiratory protective device.
Wear special clothing for the fight against fire.

6 ACCIDENTAL RELEASE MEASURES

- Personal precautions Wear safety shoes.
- Environmental precautions None
- Method for cleaning up None

7 HANDLING AND STORAGE

- Handling The usual precautions in coils handling should be observed.
- Storage Store in a dry place at ambient temperature in its original packaging.
- Specific use There may be risk of electrostatic discharge during the course of the coil.

8 Exposure controls / personal protection

- Exposure limite values ELV EAV
 Not determined Not determined
- Personal protection:
 - Respiratory protection No specific risk
 - Eye protection No specific risk
 - Skin protection No specific risk
 - Hand protection Appropriate handling gloves

9 PHYSICAL AND CHEMICAL PROPERTIES

- Physical stat: Solid, in sheets
- Colour: Clear
- Odour: Specific adhesives
- Flash point: > 300°C / > 572°F
- Flammability: Flammable
- Density at 25°C: 1400 kg/m³ / 87,4 lb/ft³ à 25°C/77°F
- Solubility: Insoluble in water
- Melting point: 260°C / 500°F

10 STABILITY ET REACTIVITY

- Stability: Stable
- Conditions to avoid: No known
- Materials to avoid: Water vapour, carbon dioxide and carbon monoxide
- Hazardous decomposition products: Acrolein and aldehydes given off by combustion of polyester

11 TOXICOLOGICAL INFORMATION

- Acute toxicity In our experience and with the information at our disposal, the product has no noxious effects, during normal handling and use.
- Local effects:
- | | |
|--------------|----------------|
| Inhalation | Not determined |
| Eye contact | Not determined |
| Skin contact | Not determined |
| Ingestion | Not determined |

12 ECOLOGICAL INFORMATION

- Biodegradability: Slow abiotic and biological degrading in contact with atmospheric agents (light, water, carbonic gas) and micro-organism
- Ecotoxicity: Data not available

13 DISPOSAL CONSIDERATIONS

- Disposal of waste Recycling possible. Dumping or incineration possible but comply with local or national legislation in force.
Waste code of EU: 200139

14 TRANSPORT INFORMATION

This product is not considered as hazardous for transport.

15 REGULATORY INFORMATION

- Symbol and labeling Not applicable
- Risk phrases Not applicable
- Safety phrases Not applicable

16 OTHER INFORMATION

The information contained in this security data file is based on our knowledge of the product concerned at the data indicated.

Users must draw their attention to the possible risks incurred when a product is used for purposes other than those for which it is designed.

Users are liable for compliance with the legislation and regulation.

Replaces the previous version of: 20/07/13

Major changes: IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY